



CBDfx Recharge Bath Bomb 200mg

Sample ID: 2006CCT1841.4596

Produced:

Client

Strain: CBDfx Recharge Bath Bomb 200mg

Collected:

CBD FX

CCTL-RD-3591 3592 3593 3594

Matrix: Topical

Received: 06/11/2020

Lic. #

Type: Other


Completed: 06/16/2020

19801 Nordhoff Place #105

Sample Size: 8 units; Batch:

Batch#: SVP0285-RG

Chatsworth, CA 91311



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	06/12/2020	Complete
Residual Solvents	06/12/2020	Pass
Microbials	06/12/2020	Pass
Mycotoxins	06/14/2020	Pass
Pesticides	06/14/2020	Pass
Heavy Metals	06/14/2020	Pass
Foreign Matter	06/12/2020	Pass

Cannabinoids

Complete

ND	194.614 mg/serving	194.614 mg/serving
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Result	Result	Result	Result
	%	%	%	mg/g	mg/serving	mg/container
THCa	0.0054	0.0018	ND	ND	ND	ND
Δ9-THC	0.0070	0.0023	ND	ND	ND	ND
Δ8-THC	0.0064	0.0021	ND	ND	ND	ND
THCV	0.0062	0.0021	ND	ND	ND	ND
CBDa	0.0054	0.0018	ND	ND	ND	ND
CBD	0.0062	0.0021	0.139	1.39	194.614	194.614
CBDV	0.0066	0.0022	ND	ND	ND	ND
CBN	0.0058	0.0019	ND	ND	ND	ND
CBGa	0.0066	0.0022	ND	ND	ND	ND
CBG	0.0061	0.0020	ND	ND	ND	ND
CBC	0.0068	0.0022	ND	ND	ND	ND
Total THC			ND	ND	ND	ND
Total CBD			0.139	1.39	194.614	194.614
Total			0.139	1.39	194.614	194.614

1 Unit = 140g, 1 serving(s) per container.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: HPLC UV-DAD; Method: CCTL-PM002.

Not Required Moisture Content Moisture Analyzer	Not Required Water Activity Rotronic AwTherm	Pass Foreign Matter Intertek Magnifier Lamp
--	---	--



S. M. Anngeri

Satish Anngeri
Scientific Director
06/16/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





CBDfx Recharge Bath Bomb 200mg

Sample ID: 2006CCT1841.4596	Produced:	Client
Strain: CBDfx Recharge Bath Bomb 200mg	Collected:	CBD FX
Matrix: Topical	Received: 06/11/2020	CCTL-RD-3591 3592 3593 3594
Type: Other	Completed: 06/16/2020	Lic. #
Sample Size: 8 units; Batch:	Batch#: SVP0285-RG	19801 Nordhoff Place #105
		Chatsworth, CA 91311

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.04	0.078	0.3	ND	Pass	Fludioxonil	0.02	0.078	30	ND	Pass
Acephate	0.005	0.078	5	ND	Pass	Hexythiazox	0.005	0.078	2	ND	Pass
Acequinocyl	0.04	0.078	4	ND	Pass	Imazalil	0.005	0.078	0.005	ND	Pass
Acetamiprid	0.005	0.078	5	ND	Pass	Imidacloprid	0.005	0.078	3	ND	Pass
Aldicarb	0.005	0.078	0.005	ND	Pass	Kresoxim Methyl	0.005	0.078	1	ND	Pass
Azoxystrobin	0.02	0.078	40	ND	Pass	Malathion	0.039	0.078	5	ND	Pass
Bifenazate	0.005	0.078	5	ND	Pass	Metalaxyl	0.005	0.078	15	ND	Pass
Bifenthrin	0.01	0.078	0.5	ND	Pass	Methiocarb	0.005	0.078	0.005	ND	Pass
Boscalid	0.005	0.078	10	ND	Pass	Methomyl	0.005	0.078	0.1	ND	Pass
Captan	0.3	0.4	5	ND	Pass	Mevinphos	0.005	0.078	0.005	ND	Pass
Carbaryl	0.005	0.078	0.5	ND	Pass	Myclobutanil	0.005	0.078	9	ND	Pass
Carbofuran	0.005	0.078	0.005	ND	Pass	Naled	0.005	0.078	0.5	ND	Pass
Chlorantraniliprole	0.005	0.078	40	ND	Pass	Oxamyl	0.005	0.078	0.2	ND	Pass
Chlordane	0.005	0.078	0.005	ND	Pass	Pacllobutrazol	0.005	0.078	0.005	ND	Pass
Chlorfenapyr	0.01	0.078	0.01	ND	Pass	Parathion Methyl	0.02	0.078	0.02	ND	Pass
Chlorpyrifos	0.02	0.078	0.02	ND	Pass	Pentachloronitrobenzene	0.005	0.078	0.2	ND	Pass
Clofentezine	0.005	0.078	0.5	ND	Pass	Permethrin	0.02	0.078	20	ND	Pass
Coumaphos	0.01	0.078	0.01	ND	Pass	Phosmet	0.005	0.078	0.2	ND	Pass
Cyfluthrin	0.3	0.6	1	ND	Pass	Piperonyl Butoxide	0.005	0.078	8	ND	Pass
Cypermethrin	0.15	0.3	1	ND	Pass	Prallethrin	0.03	0.078	0.4	ND	Pass
Daminozide	0.036	0.078	0.036	ND	Pass	Propiconazole	0.005	0.078	20	ND	Pass
Diazinon	0.005	0.078	0.2	ND	Pass	Propoxur	0.005	0.078	0.005	ND	Pass
Dichlorvos	0.039	0.078	0.039	ND	Pass	Pyrethrins	0.05	0.1	1	ND	Pass
Dimethoate	0.005	0.078	0.005	ND	Pass	Pyridaben	0.005	0.078	3	ND	Pass
Dimethomorph	0.078	0.313	20	ND	Pass	Spinetoram	0.005	0.078	3	ND	Pass
Ethoprophos	0.005	0.078	0.005	ND	Pass	Spinosad	0.005	0.078	3	ND	Pass
Etofenprox	0.005	0.078	0.005	ND	Pass	Spiromesifen	0.005	0.078	12	ND	Pass
Etoxazole	0.005	0.078	1.5	ND	Pass	Spirotetramat	0.005	0.078	13	ND	Pass
Fenhexamid	0.015	0.078	10	ND	Pass	Spiroxamine	0.005	0.078	0.005	ND	Pass
Fenoxycarb	0.005	0.078	0.005	ND	Pass	Tebuconazole	0.005	0.078	2	ND	Pass
Fenpyroximate	0.005	0.078	2	ND	Pass	Thiacloprid	0.005	0.078	0.005	ND	Pass
Fipronil	0.005	0.078	0.005	ND	Pass	Thiamethoxam	0.005	0.078	4.5	ND	Pass
Flonicamid	0.005	0.078	2	ND	Pass	Trifloxystrobin	0.005	0.078	30	ND	Pass

Date Tested: 06/14/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS).



P. M. Anigeri

Satish Anigeri
Scientific Director
06/16/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





CBDfx Recharge Bath Bomb 200mg

Sample ID: 2006CCT1841.4596	Produced:	Client
Strain: CBDfx Recharge Bath Bomb 200mg	Collected:	CBD FX
Matrix: Topical	Received: 06/11/2020	CCTL-RD-3591 3592 3593 3594
Type: Other	Completed: 06/16/2020	Lic. #
Sample Size: 8 units; Batch:	Batch#: SVP0285-RG	19801 Nordhoff Place #105
		Chatsworth, CA 91311

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 06/12/2020

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.0049	0.0098	20	ND	Pass
B2	0.0049	0.0098	20	ND	Pass
G1	0.0049	0.0098	20	ND	Pass
G2	0.0049	0.0098	20	ND	Pass
Total Aflatoxins	0.0049	0.0098	20	ND	Pass
Ochratoxin A	0.0049	0.039	20	ND	Pass

Date Tested: 06/14/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS; Method: CCTL-PM020.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0000218	0.00006606	1.5	0.031255521	Pass
Cadmium	0.00008009	0.0002427	0.5	0.000070159	Pass
Lead	0.00004141	0.0001255	0.5	0.072698504	Pass
Mercury	0.00002323	0.0000704	3	ND	Pass

Date Tested: 06/14/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: ICP-MS; Method: CCTL-PM005.



S. M. Anigeri

Satish Anigeri
Scientific Director
06/16/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





CBDfx Recharge Bath Bomb 200mg

Sample ID: 2006CCT1841.4596	Produced:	Client
Strain: CBDfx Recharge Bath Bomb 200mg	Collected:	CBD FX
Matrix: Topical	Received: 06/11/2020	CCTL-RD-3591 3592 3593 3594
Type: Other	Completed: 06/16/2020	Lic. #
Sample Size: 8 units; Batch:	Batch#: SVP0285-RG	19801 Nordhoff Place #105
		Chatsworth, CA 91311

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.05	0.1	1	ND	Pass
Acetone	0.1	0.2	5000	ND	Pass
Acetonitrile	0.1	0.2	410	ND	Pass
Benzene	0.05	0.1	1	ND	Pass
Butane	0.25	0.625	5000	ND	Pass
Chloroform	0.125	0.25	1	ND	Pass
Ethanol	0.1	0.2	5000	ND	Pass
Ethyl-Acetate	0.1	0.2	5000	ND	Pass
Ethyl-Ether	0.1	0.2	5000	ND	Pass
Ethylene Oxide	0.1	0.2	1	ND	Pass
Heptane	0.25	0.625	5000	ND	Pass
Isopropanol	0.1	0.2	5000	ND	Pass
Methanol	0.1	0.2	3000	ND	Pass
Methylene-Chloride	0.125	0.25	1	ND	Pass
n-Hexane	0.125	0.25	290	ND	Pass
Pentane	0.25	0.625	5000	ND	Pass
Propane	1	5	5000	ND	Pass
Toluene	1	5	890	ND	Pass
Trichloroethene	0.05	0.1	1	ND	Pass
Xylenes	0.25	0.625	2170	ND	Pass

Date Tested: 06/12/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: GC; Method: CCTL-PM010.



S. M. Anz

Satish Annigeri
Scientific Director
06/16/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

