



# Face Mask - Aloe Vera 50mg

Sample ID: 2107CCT3264.8009  
Strain: Face Mask - Aloe Vera 50mg  
Matrix: Topical  
Type: Other  
Sample Size: ; Batch:

Produced:  
Collected: 07/28/2021  
Received: 07/28/2021  
Completed: 08/03/2021  
Batch#: SVPO634-AL

Client  
CBD FX  
Lic. #  
19801 Nordhoff Place #105  
Chatsworth, CA 91311

CCTL-RD-10549-10550-10551



## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	07/30/2021	Pass
Residual Solvents	07/29/2021	Pass
Microbials	07/30/2021	Pass
Mycotoxins	07/30/2021	Pass
Pesticides	07/30/2021	Pass
Heavy Metals	07/29/2021	Pass
Foreign Matter	07/29/2021	Pass

## Cannabinoids

Pass

<b>ND</b>	<b>53.878 mg/container</b>	<b>54.168 mg/container</b>
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD mg/g	LOQ mg/g	Result mg/container	Result mg/g	Result mg/serving	Result mg/unit
THCa	0.000625000	0.001250000	ND	ND	ND	ND
Δ9-THC	0.000625000	0.001250000	ND	ND	ND	ND
Δ8-THC	0.000625000	0.001250000	ND	ND	ND	ND
THCV	0.000625000	0.001250000	ND	ND	ND	ND
CBDa	0.000625000	0.001250000	ND	ND	ND	ND
CBD	0.000625000	0.001250000	53.878	2.449	53.878	53.878
CBDV	0.000625000	0.001250000	0.290	0.013	0.290	0.290
CBN	0.000625000	0.001250000	ND	ND	ND	ND
CBGa	0.000625000	0.001250000	ND	ND	ND	ND
CBC	0.000625000	0.001250000	ND	ND	ND	ND
<b>Total THC</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total CBD</b>			<b>53.878</b>	<b>2.449</b>	<b>53.878</b>	<b>53.878</b>
<b>Total</b>			<b>54.168</b>	<b>2.462</b>	<b>54.168</b>	<b>54.168</b>

Date Tested: 07/30/2021

1 Unit = 22g, 1 serving(s) per container.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: HPLC UV-DAD; Method: CCTL-PM002. Samples were collected as per 16 CCR Section 5707

<b>Not Required</b> Moisture Content Moisture Analyzer	<b>Not Required</b> Water Activity Rotronic AwTherm	<b>Pass</b> Foreign Matter Intertek Magnifier Lamp
--	---	--



*S. M. Anneri*

Satish Anneri  
Scientific Director  
08/03/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
http://www.cctestinglabs.com  
Lic# C8-000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

# Face Mask - Aloe Vera 50mg

Sample ID: 2107CCT3264.8009  
Strain: Face Mask - Aloe Vera 50mg  
Matrix: Topical  
Type: Other  
Sample Size: ; Batch:

Produced:  
Collected: 07/28/2021  
Received: 07/28/2021  
Completed: 08/03/2021  
Batch#: SVPO634-AL

Client  
CBD FX  
Lic. #  
19801 Nordhoff Place #105  
Chatsworth, CA 91311

CCTL-RD-10549-10550-10551

## Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.006176	0.01235	0.1	ND	Pass	Fludioxonil	0.006176	0.01235	0.1	ND	Pass
Acephate	0.006176	0.01235	0.1	ND	Pass	Hexythiazox	0.006176	0.01235	0.1	ND	Pass
Acequinocyl	0.0125	0.025	0.1	ND	Pass	*Imazalil	0.006176	0.01235	0.006176	ND	Pass
Acetamiprid	0.006176	0.01235	0.1	ND	Pass	Imidacloprid	0.006176	0.01235	5	ND	Pass
*Aldicarb	0.006176	0.01235	0.006176	ND	Pass	Kresoxim Methyl	0.006176	0.01235	0.1	ND	Pass
Azoxystrobin	0.006176	0.01235	0.1	ND	Pass	Malathion	0.006176	0.01235	0.5	ND	Pass
Bifenazate	0.006176	0.01235	0.1	ND	Pass	Metalaxyl	0.006176	0.01235	2	ND	Pass
Bifenthrin	0.025	0.05	3	ND	Pass	*Methiocarb	0.006176	0.01235	0.006176	ND	Pass
Boscalid	0.006176	0.01235	0.1	ND	Pass	Methomyl	0.006176	0.01235	1	ND	Pass
Captan	0.2515	0.503	0.7	ND	Pass	*Mevinphos	0.006176	0.01235	0.006176	ND	Pass
Carbaryl	0.006176	0.01235	0.5	ND	Pass	Myclobutanil	0.006176	0.01235	0.1	ND	Pass
*Carbofuran	0.006176	0.01235	0.006176	ND	Pass	Naled	0.006176	0.01235	0.1	ND	Pass
Chlorantraniliprole	0.006176	0.01235	10	ND	Pass	Oxamyl	0.006176	0.01235	0.5	ND	Pass
*Chlordane	0.0314	0.0628	0.0314	ND	Pass	*Paclobutrazol	0.006176	0.01235	0.006176	ND	Pass
*Chlorfenapyr	0.0314	0.0628	0.0314	ND	Pass	*Parathion Methyl	0.032	0.064	0.032	ND	Pass
*Chlorpyrifos	0.006176	0.01235	0.006176	ND	Pass	Pentachloronitrobenzene	0.032	0.064	0.1	ND	Pass
Clofentezine	0.006176	0.01235	0.1	ND	Pass	Permethrin	0.025	0.05	0.5	ND	Pass
*Coumaphos	0.006176	0.01235	0.006176	ND	Pass	Phosmet	0.006176	0.01235	0.1	ND	Pass
Cyfluthrin	0.0247	0.0494	2	ND	Pass	Piperonyl Butoxide	0.006176	0.01235	3	ND	Pass
Cypermethrin	0.01235	0.0247	1	ND	Pass	Prallethrin	0.006176	0.01235	0.1	ND	Pass
*Daminozide	0.006176	0.01235	0.006176	ND	Pass	Propiconazole	0.006176	0.01235	0.1	ND	Pass
Diazinon	0.006176	0.01235	0.1	ND	Pass	*Propoxur	0.006176	0.01235	0.006176	ND	Pass
*Dichlorvos	0.006176	0.01235	0.006176	ND	Pass	Pyrethrins	0.03124	0.0625	0.5	ND	Pass
*Dimethoate	0.006176	0.01235	0.006176	ND	Pass	Pyridaben	0.006176	0.01235	0.1	ND	Pass
Dimethomorph	0.006176	0.01235	2	ND	Pass	Spinetoram	0.006176	0.01235	0.1	ND	Pass
*Ethoprophos	0.006176	0.01235	0.006176	ND	Pass	Spinosad	0.012352	0.0247	0.1	ND	Pass
*Etofenprox	0.006176	0.01235	0.006176	ND	Pass	Spiromesifen	0.006176	0.01235	0.1	ND	Pass
Etoxazole	0.006176	0.01235	0.1	ND	Pass	Spirotetramat	0.006176	0.01235	0.1	ND	Pass
Fenhexamid	0.006176	0.01235	0.1	ND	Pass	*Spiroxamine	0.006176	0.01235	0.006176	ND	Pass
*Fenoxycarb	0.0125	0.025	0.0125	ND	Pass	Tebuconazole	0.006176	0.01235	0.1	ND	Pass
Fenpyroximate	0.006176	0.01235	0.1	ND	Pass	*Thiacloprid	0.006176	0.01235	0.006176	ND	Pass
*Fipronil	0.006176	0.01235	0.006176	ND	Pass	Thiamethoxam	0.006176	0.01235	5	ND	Pass
Flonicamid	0.006176	0.01235	0.1	ND	Pass	Trifloxystrobin	0.006176	0.01235	0.1	ND	Pass

Date Tested: 07/30/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS). Samples were collected as per 16 CCR Section 5707. \* Category I residual pesticides



*P. M. Anngeri*

Satish Anngeri  
Scientific Director  
08/03/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



## Face Mask - Aloe Vera 50mg

<b>Sample ID:</b> 2107CCT3264.8009	<b>Produced:</b>	<b>Client:</b>	
<b>Strain:</b> Face Mask - Aloe Vera 50mg	<b>Collected:</b> 07/28/2021	<b>CBD FX</b>	<b>CCTL-RD-10549-10550-10551</b>
<b>Matrix:</b> Topical	<b>Received:</b> 07/28/2021	<b>Lic. #</b>	
<b>Type:</b> Other	<b>Completed:</b> 08/03/2021	19801 Nordhoff Place #105	
<b>Sample Size:</b> ; Batch:	<b>Batch#:</b> SVPO634-AL	Chatsworth, CA 91311	

### Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 07/30/2021

TNTC = Too Numerous to Count; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012. Samples were collected as per 16 CCR Section 5707.

### Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.54	3.088		ND	Tested
B2	3.088	6.16		ND	Tested
G1	1.54	3.088		ND	Tested
G2	1.54	3.088		ND	Tested
Total Aflatoxins	7.708	15.42	20	ND	Pass
Ochratoxin A	6.16	12.32	20	ND	Pass

Date Tested: 07/30/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: LC/MS; Method: CCTL-PM020. Samples were collected as per 16 CCR Section 5707.

### Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.016190454	0.1	1.5	ND	Pass
Cadmium	0.017157262	0.1	0.5	ND	Pass
Lead	0.014850831	0.1	0.5	ND	Pass
Mercury	0.008172028	0.02	3	ND	Pass

Date Tested: 07/29/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: ICP-MS; Method: CCTL-PM005. Samples were collected as per 16 CCR Section 5707.



*S. M. Anjeri*

Satish Anjeri  
Scientific Director  
08/03/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com





CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
http://www.cctestinglabs.com  
Lic# C8-000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

## Face Mask - Aloe Vera 50mg

Sample ID: 2107CCT3264.8009  
Strain: Face Mask - Aloe Vera 50mg  
Matrix: Topical  
Type: Other  
Sample Size: ; Batch:

Produced:  
Collected: 07/28/2021  
Received: 07/28/2021  
Completed: 08/03/2021  
Batch#: SVPO634-AL

Client  
**CBD FX**  
Lic. #  
19801 Nordhoff Place #105  
Chatsworth, CA 91311

CCTL-RD-10549-10550-10551

### Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
*1-2-Dichloro-Ethane	0.39	0.61	1.00	ND	Pass
Acetone	36.09	84.10	5000.00	ND	Pass
Acetonitrile	37.83	85.12	410.00	ND	Pass
*Benzene	0.27	0.55	1.00	ND	Pass
Butane	47.23	85.35	5000.00	ND	Pass
*Chloroform	0.29	0.66	1.00	ND	Pass
Ethanol	46.62	94.08	5000.00	<LOQ	Pass
Ethyl-Acetate	32.57	81.89	5000.00	ND	Pass
Ethyl-Ether	31.01	79.39	5000.00	ND	Pass
*Ethylene Oxide	0.41	0.59	1.00	ND	Pass
Heptane	59.17	108.87	5000.00	ND	Pass
Isopropanol	35.32	82.60	5000.00	ND	Pass
Methanol	30.78	86.03	3000.00	ND	Pass
*Methylene-Chloride	0.25	0.57	1.00	ND	Pass
n-Hexane	38.88	77.75	290.00	ND	Pass
Pentane	44.69	87.66	5000.00	ND	Pass
Propane	73.64	96.73	5000.00	ND	Pass
Toluene	23.62	79.45	890.00	ND	Pass
*Trichloroethene	0.21	0.60	1.00	ND	Pass
Total Xylenes	44.05	100.50	2170.00	ND	Pass

Date Tested: 07/29/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: GC; Method: CCTL-PM010. Samples were collected as per 16 CCR Section 5707. \* Category I residual solvents



*P. M. Annigeri*

Satish Annigeri  
Scientific Director  
08/03/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.