

CBDfx Terpene Pen Sour Diesel

Sample ID: 1908BCL0082.0266
Strain: CBD
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 50,000 units

Produced:
Collected:
Received: 08/05/2019
Completed: 08/09/2019
Batch#: CBD-TP0731

Client
CBD FX
Lic. #
19801 Nordhoff Place #107
Chatsworth, CA 91311



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	08/05/2019	Complete
Terpenes	08/06/2019	Complete
Residual Solvents	08/06/2019	Pass
Microbials	08/07/2019	Pass
Mycotoxins	08/06/2019	Pass
Pesticides	08/06/2019	Pass
Heavy Metals	08/06/2019	Pass

Cannabinoids

Complete


ND Total THC	1,521.00 mg/unit Total CBD	1,596.00 mg/unit Total Cannabinoids
------------------------	--------------------------------------	---

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	mg/unit	mg/g
THCa	0.12	0.36	ND	ND
Δ9-THC	0.20	0.59	ND	ND
Δ8-THC	0.24	0.71	ND	ND
THCV	0.16	0.50	ND	ND
CBDa	0.18	0.55	ND	ND
CBD	0.13	0.40	1521.00	50.70
CBDV	0.10	0.32	<LOQ	<LOQ
CBN	0.11	0.33	ND	ND
CBGa	0.13	0.39	ND	ND
CBG	0.13	0.39	75.00	2.50
CBC	0.11	0.39	ND	ND
Total THC			ND	ND
Total CBD			1521.00	50.70
Total			1596.00	53.20

1 Unit = Distillate, 30g. 1 mL = 1g.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids Test Method: HPLC SOP-101

NT Not Tested Moisture Content	NT Not Tested Water Activity	Not Tested Foreign Matter
---	---	-------------------------------------




Mohammad Lutfi
Lab Director
08/09/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;












CBDfx Terpene Pen Sour Diesel

Sample ID: 1908BCL0082.0266
Strain: CBD
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 50,000 units




Produced:
Collected:
Received: 08/05/2019
Completed: 08/09/2019
Batch#: CBD-TP0731

Client
CBD FX
Lic. #
19801 Nordhoff Place #107
Chatsworth, CA 91311

Terpenes

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
δ-Limonene	0.00	0.00	1.47	14.7	
β-Caryophyllene	0.00	0.01	0.53	5.3	
β-Pinene	0.00	0.00	0.28	2.8	
α-Humulene	0.00	0.00	0.22	2.2	
β-Myrcene	0.00	0.00	0.20	2.0	
α-Pinene	0.00	0.00	0.15	1.5	
Linalool	0.00	0.00	0.05	0.5	
Camphene	0.00	0.00	0.04	0.4	
δ-3-Carene	0.00	0.01	0.02	0.2	
p-Cymene			0.01	0.1	
α-Terpinene	0.00	0.00	0.00	0.0	
cis-Ocimene	0.00	0.00	ND	ND	
Eucalyptol	0.00	0.00	ND	ND	
γ-Terpinene	0.00	0.00	ND	ND	
Isopulegol	0.00	0.00	ND	ND	
trans-Ocimene	0.00	0.00	ND	ND	
Total			2.96	29.6	

Primary Aromas



NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Terpenes Test Method: GC/MS FID SOP-201



#N/A

08/09/2019

All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



CBDfx Terpene Pen Sour Diesel

Sample ID: 1908BCL0082.0266
Strain: CBD
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 50,000 units

Produced:
Collected:
Received: 08/05/2019
Completed: 08/09/2019
Batch#: CBD-TP0731

Client
CBD FX
Lic. #
19801 Nordhoff Place #107
Chatsworth, CA 91311

Pesticides

Pass


Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Bifenazate	0.0005	0.05	0.1	ND	Pass	Imidacloprid	0.0005	0.05	5	ND	Pass
Bifenthrin	0.0005	0.05	3	ND	Pass	Myclobutanil	0.0005	0.05	0.1	ND	Pass
Cyfluthrin	0.05	0.1	2	ND	Pass	Spiromesifen	0.005	0.05	0.1	ND	Pass
Etoxazole	0.0005	0.05	0.1	ND	Pass	Trifloxystrobin	0.0005	0.05	0.1	ND	Pass
Imazalil	0.005	0.05	0.005	ND	Pass						



Date Tested: 08/06/2019

NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Pesticides Test Method: LC/MS FID SOP-301




Mohammad Lutfi
Lab Director
08/09/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;

CBDfx Terpene Pen Sour Diesel

Sample ID: 1908BCL0082.0266
Strain: CBD
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 50,000 units

Produced:
Collected:
Received: 08/05/2019
Completed: 08/09/2019
Batch#: CBD-TP0731

Client
CBD FX
Lic. #
19801 Nordhoff Place #107
Chatsworth, CA 91311

Microbials

Pass

Analyte

Result

Aspergillus
Shiga toxin-producing E. Coli
Salmonella


CFU/g
Not Detected in 1g
Not Detected in 1g
Not Detected in 1g



Date Tested: 08/07/2019

NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Microbials Test Method: PCR SOP-401




Mohammad Lutfi
Lab Director
08/09/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;

CBDfx Terpene Pen Sour Diesel

Sample ID: 1908BCL0082.0266
Strain: CBD
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 50,000 units

Produced:
Collected:
Received: 08/05/2019
Completed: 08/09/2019
Batch#: CBD-TP0731

Client
CBD FX
Lic. #
19801 Nordhoff Place #107
Chatsworth, CA 91311

Mycotoxins

Pass


Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Units µg/kg	Status
B1	5	20		ND	Tested
B2	5	20		ND	Tested
G1	5	20		ND	Tested
G2	5	20		ND	Tested
Ochratoxin A	5	20	20	ND	Pass
Total Aflatoxins	5	20	20	ND	Pass



Date Tested: 08/06/2019

NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Mycotoxins Test Method: VICAM/WATERS SOP-501




Mohammad Lutfi
Lab Director
08/09/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;

CBDfx Terpene Pen Sour Diesel

Sample ID: 1908BCL0082.0266
Strain: CBD
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 50,000 units

Produced:
Collected:
Received: 08/05/2019
Completed: 08/09/2019
Batch#: CBD-TP0731

Client
CBD FX
Lic. #
19801 Nordhoff Place #107
Chatsworth, CA 91311

Residual Solvents

Pass


Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Butane	6.01	18.212	5000	44.150	Pass
Ethanol	3.032	9.189	5000	ND	Pass
Hexanes	6.442	19.522	290	ND	Pass
Pentane	5.625	12.046	5000	ND	Pass
Propane	2.445	7.409	5000	ND	Pass



Date Tested: 08/06/2019

NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Solvents Test Method: GC/MS FID SOP-701




Mohammad Lutfi
Lab Director
08/09/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;

CBDfx Terpene Pen Sour Diesel

Sample ID: 1908BCL0082.0266
Strain: CBD
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 50,000 units

Produced:
Collected:
Received: 08/05/2019
Completed: 08/09/2019
Batch#: CBD-TP0731

Client
CBD FX
Lic. #
19801 Nordhoff Place #107
Chatsworth, CA 91311

Heavy Metals

Pass


Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0001	0.00035	0.0002	ND	Pass
Cadmium	0.00001	0.00002	0.0002	ND	Pass
Lead	0.00036	0.0011	0.0005	ND	Pass
Mercury	0.00001	0.00002	0.0001	ND	Pass



Date Tested: 08/06/2019

NR = Not Reported; NT = Not Tested; ND = Not Detected; LOQ = Limit of Quantitation; Heavy Metals Test Method: ICPMS SOP-601




Mohammad Lutfi
Lab Director
08/09/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). This product has been tested by Biocann Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Biocann Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Biocann Laboratories. Moisture Content Method: Ohaus; Water Activity Method: Rotronic;